



Edition Etching Rag II


310 gsm - Matte

Utilising the latest proprietary inkjet coating, **Canson® Infinity Edition Etching Rag II** offers deeper blacks and an extend colour gamut, whilst retaining the aesthetics of the original paper. Made from 100% cotton, this fine art paper has a soft fine grain texture, reminiscent of the original genuine etching and printmaking papers. Edition Etching Rag II has a white tone achieved without the use of artificial Brightening Agents, also called OBAs.

Produced at the renowned Canson Mill in Annonay, France Edition Etching Rag II offers a high paper shade stability and a resistance to aging by using natural minerals. The improved inkjet coating offers a better image performance with a higher black density and colour gamut.

This museum-grade paper provides deep blacks, excellent image sharpness, optimum colour graduation and its unique slight grain makes it ideal for printing detailed work, colour photographs and exceptional black and white portraits.





References and formats per sheet



Reference	Format	Packaging
C762512029	5"x7"	Box - 25 sheets
C762512031	8.5" x 11"	Box - 25 sheets*
C762512027	11" x 17"	Box - 25 sheets*
C762512026	13" x 19"	Box - 25 sheets
C762512024	17" x 22"	Box - 25 sheets*
C762512029	12.7 x 17.8 cm	Box - 25 sheets
C762512030	A4	Box - 25 sheets
C762512028	A3	Box - 25 sheets
C762512026	A3+	Box - 25 sheets
C762512025	A2	Box - 25 sheets



References and formats per roll



Reference	Format	Packaging
C762511023	17" x 39' 0.432 x 12m	1 Roll - 3" (7.62cm) Core

C762511025	24" x 39' 0.610 x 12m	1 Roll - 3" (7.62cm) Core	
C762511029	36" x 39' 0.914 x 12m	1 Roll - 3" (7.62cm) Core	
C762511031	44" x 39' 1.118 x 12m	1 Roll - 3" (7.62cm) Core	
C762511035	60" x 39' 1.524 x 12m	1 Roll - 3" (7.62cm) Core	
C762511026	24" x 66' 0.610 x 20m	1 Roll - 3" (7.62cm) Core	
C762511032	44" x 66' 1.118 x 20m	1 Roll - 3" (7.62cm) Core	
C762511036	60" x 66' 1.524 x 20m	1 Roll - 3" (7.62cm) Core	














Technical specifications










Weight (gsm)	310
Thickness (um)	500
Surface feel	Soft textured
Surface finish	Matt
Composition	100% cotton
CIE Whiteness	89,4

Acid free paper	Yes
OBA content	None
Drying time	Immediate
Water resistance	High
ISO 2471 Opacity	99,38
Internally buffered	Yes
Additional comments	<ul style="list-style-type: none"> - Paper base meet the requirement of ISO 9706 - Optimised for pigmented inks. Compatible with dye inks.

Find your certified lab

Company		Country	
	Weprint!	Brasil	 
	Pro Image Service	France	
	PICTO Toulouse	France	 
	UH5	France	 

Company	Country	
	TOMOE	France  
	Split Arrow Print House	USA 
	TYPOSET, s. r. o.	Slovakia  
	L'art du Tirage	France 